

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT**



1 of 2

Facility Information

RESULT: Satisfactory

Permit Number: 36-48-00615
Name of Facility: Lexington Middle School
Address: 16351 Summerlin Road
City, Zip: Fort Myers 33908

**Correct By: Next Inspection
Re-Inspection Date: None**

Type: School (more than 9 months)
Owner: The School District of Lee County *
Person In Charge: Nestler, Lilliann Phone: (239) 334-4544

Inspection Information

Purpose: Routine
Inspection Date: 1/12/2017

Begin Time: 10:00 AM
End Time: 11:00 AM

Additional Information

No Additional Information Available

Items marked below violate the requirements of Chapter 64E-11 of the Florida Administrative Code and must be corrected. Continued operation of this facility without making these corrections is a violation of Chapter 64E-11, Florida Administrative Code and Chapters 381 and 386, Florida Statutes. Violations must be corrected by the date and time indicated in the Results section above or an administrative fine or other legal action will be initiated.

Violation Markings

FOOD SUPPLIES	17. Exclusion of personnel	34. Plumbing
1. Sources, etc.	18. Cleanliness	35. Toilet facilities
FOOD PROTECTION	19. Tobacco use	36. Handwashing facilities
2. Stored temperature	20. Handwashing	37. Garbage disposal
3. No further cooking/Rapid cooling	21. Handling of dishware	38. Vermin control
4. Thawing	EQUIPMENT/UTENSILS	OTHER FACILITIES AND OPERATIONS
5. Raw fruits	22. Refrigeration facilities/Thermometers	39. Other facilities and operations
6. Pork cooking	23. Sinks	TEMPORARY FOOD SERVICE EVENTS
7. Poultry cooking	24. Ice storage/Counter-protector	40. Temporary food service events
8. Other animal cooking	25. Ventilation/Storage/Sufficient equipment	VENDING MACHINES
9. Least contact/Reheating	26. Dishwashing facilities	41. Vending machines
10. Food container	X 27. Design and fabrication	MANAGER CERTIFICATION
11. Buffet requirements	28. Installation and location	42. Manager certification
12. Self-service condiments	29. Cleanliness of equipment	CERTIFICATES AND FEES
13. Reservice of food	30. Methods of washing	43. Certificates and fees
14. Sneeze guards	SANITARY FACILITIES AND CONTROLS	INSPECTION/ENFORCEMENT
15. Transportation of food	31. Water supply	44. Inspection/Enforcement
16. Poisonous/Toxic materials	32. Ice	
PERSONNEL	33. Sewage	

Inspector Signature:

D. Allen

Client Signature:

L. A. Nestler

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



2 of 2

General Comments

Ground beef 166 F, ground beef 157 F, popcorn chicken 175 F, kale soup 190 F, popcorn chicken 153 F, milk 40 F, choc milk 35 F, milk 36 F, traulsen 37 F, 41 F, 40 F, 37 F, walk in 39 F, sanitizer bucket 100 ppm chlorine, 3 c sink 100 ppm chlorine, water greater than 100 F throughout.

NOTE: One of the Traulsen milk coolers has a gap between the gasket and the side. Cooler is brand new, being exchanged for a non damaged one by the company. Milk temps at 36 F.

Email Address(es): dornb@leeschools.net;
LilliannNE@leeschools.net

Violations Comments

Violation #27. Design and fabrication
-Gasket torn on milk cooler line 3.

CODE REFERENCE: Designed. 64E-11.006(2). All equipment will be the proper design and fabrication.

Inspection Conducted By: Deborah Aber (54489)
Inspector Contact Number: Work: (239) 690-2100 ex.
Print Client Name:
Date: 1/12/2017

Inspector Signature:

D. Aber

Client Signature:

L. A. Neetha