

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT**



1 of 2

Facility Information

RESULT: Satisfactory

Permit Number: 36-48-00137
Name of Facility: Heights Elementary School
Address: 15200 Alexandria Court
City, Zip: Fort Myers 33908

**Correct By: Next Inspection
Re-Inspection Date: None**

Type: School (more than 9 months)
Owner: The School District of Lee County *
Person In Charge: Deleon, Priscilla Phone: (239) 334-4544

Inspection Information

Purpose: Routine
Inspection Date: 5/9/2017

Begin Time: 10:20 AM
End Time: 11:25 AM

Additional Information

No Additional Information Available

Items marked below violate the requirements of Chapter 64E-11 of the Florida Administrative Code and must be corrected. Continued operation of this facility without making these corrections is a violation of Chapter 64E-11, Florida Administrative Code and Chapters 381 and 386, Florida Statutes. Violations must be corrected by the date and time indicated in the Results section above or an administrative fine or other legal action will be initiated.

Violation Markings

FOOD SUPPLIES	17. Exclusion of personnel	34. Plumbing
1. Sources, etc.	18. Cleanliness	35. Toilet facilities
FOOD PROTECTION	19. Tobacco use	36. Handwashing facilities
X 2. Stored temperature	20. Handwashing	X 37. Garbage disposal
3. No further cooking/Rapid cooling	21. Handling of dishware	38. Vermin control
4. Thawing	EQUIPMENT/UTENSILS	OTHER FACILITIES AND OPERATIONS
5. Raw fruits	X 22. Refrigeration facilities/Thermometers	X 39. Other facilities and operations
6. Pork cooking	23. Sinks	TEMPORARY FOOD SERVICE EVENTS
7. Poultry cooking	24. Ice storage/Counter-protector	40. Temporary food service events
8. Other animal cooking	25. Ventilation/Storage/Sufficient equipment	VENDING MACHINES
9. Least contact/Reheating	26. Dishwashing facilities	41. Vending machines
10. Food container	27. Design and fabrication	MANAGER CERTIFICATION
11. Buffet requirements	28. Installation and location	42. Manager certification
12. Self-service condiments	X 29. Cleanliness of equipment	CERTIFICATES AND FEES
13. Reservice of food	30. Methods of washing	43. Certificates and fees
14. Sneeze guards	SANITARY FACILITIES AND CONTROLS	INSPECTION/ENFORCEMENT
15. Transportation of food	31. Water supply	44. Inspection/Enforcement
16. Poisonous/Toxic materials	32. Ice	
PERSONNEL	33. Sewage	

Inspector Signature:

D. Allen

Client Signature:

P. DeLeon

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



2 of 2

General Comments

-True 26 F, traulsen 38 F, 39 F, 40 F, walk-in 33 F, eggs 193 F, gravy 183 F, burgers 143 F, 154 F, beans 159 F, 170 F, milk 41 F, egg salad 35 F, candied strawberries 102 F, chlorine 3 comp sink 50 ppm, water greater than 100 F throughout.

Email Address(es): dornb@leeschools.net;
JimHow@leeschools.net;
priscillad@leeschools.net

Violations Comments

Violation #2. Stored temperature

-Candied strawberries greater than 41 F (102 F). NOTE: came out of can then heated, advised kitchen must be greater than 140 F, of less than 41 F. Strawberries sent for chilling, will be served on ice.

CODE REFERENCE: Storage Temperature. 64E-11.004(1)(2). Food is stored at proper temperatures (less than or equal to 41°F or greater than or equal to 140°F).

Violation #22. Refrigeration facilities/Thermometers

-Thermometer not observed Traulsen warming cabinet (CORRECTED).

CODE REFERENCE: Refrigerators. 64E-11.006(1), (1)(a). There will be sufficient, working, refrigerators. Each refrigerator will have a working thermometer.

Violation #29. Cleanliness of equipment

-Interior ice machine dirty (CORRECTED).

CODE REFERENCE: Cleaned. 64E-11.006(4). All equipment will be maintained in a clean and sanitized manner.

Violation #37. Garbage disposal

-Lid on garbage can during service near handwash sink and ice machine (CORRECTED).

CODE REFERENCE: Garbage. 64E-11.007(6). Garbage will be disposed of to prevent vector harborage. Garbage containers will be leak proof. Outside storage will be on top of a smooth nonabsorbent material.

Violation #39. Other facilities and operations

-Mop heads stored incorrectly.

CODE REFERENCE: Other Facilities. 64E-11.008. Floors, walls, and ceilings shall be smooth and washable. 20 foot candles of light shall be provided. Adequate ventilation shall be provided. A mop sink or garbage can wash down will be provided. No living quarter shall open to the facility. No live animals. Exterior area shall be kept clean.

Inspection Conducted By: Deborah Aber (54489)
Inspector Contact Number: Work: (239) 690-2100 ex.
Print Client Name:
Date: 5/9/2017

Inspector Signature:

D. Aber

Client Signature:

P. Rahn